



AFRICA'S HARDEST WORKING BOOTS

www.rebelsafetygear.com



S1

CODE FX2-S | SIZES 2-13 FX2 SAFETY SHOE



S1P 🎘

CODE FX2-CB-S1P SIZES 3-13



CODE RE128-S SIZES 3-13



CODE FX2-S1P | SIZES 2-14





CODE RE380 SIZES 2-14





CODE RE811 SIZES 2-16



CODE RE128 | SIZES 3-14



SB



CODE RE811-BR SIZES 2-15

BOOTS & SHOES TRADITIONAL RANGE







CODE RE508 SIZES 2-12

S1



CODE RE304 SIZES 2-14





CODE FX2-CB-BR SIZES 3-13



CODE RE303-BK SIZES 3-13

S1

S1



CODE RE304-BK SIZES 3-13

BOOTS & SHOES TRADITIONAL RANGE

BOOTS & SHOES REBELLION RANGE

CODE RE18312 SIZES 4-12



A

00



S1

CODE RE203-BK | SIZES 4-13 CLASSIC WORK SHOE



<mark>S1P</mark> 🎠 🜦

CODE RE652-TA SIZES 4-13





CODE RE424-BR SIZES 4-13



<mark>S3</mark> 🍢 🛁

CODE RE425-BK SIZES 4-13

<mark>S3</mark> 🍢 🖂





CODE RE316 | SIZES 4-13





CODE RE942 SIZES 5-13



CODE RE424-BK SIZES 4-13

S1 🕌



CODE RE0808 SIZES 4-13

BOOTS & SHOES **PREMIUM RANGE**





CODE RE429-CH | SIZES 4-13





CODE RE420-BR | SIZES 4-13





CODE RE429-BK SIZES 4-13





CODE RE420-BK SIZES 4-13





CODE RE651-BK SIZES 4-13





CODE RE652-BK SIZES 4-13 CRAZY HORSE BLACK



CODE RE651-BR SIZES 4-13



CODE RE652-BR SIZES 2-14



CODE RE912 | SIZES 4-13 RIGGER BOOT



CODE RE210-53 ' SIZES 4-13 CHEMITRAK S3 BOOT







CODE GL068GY SIZES 3-13 HYGIENE BOOT

SB 💽 🌦 🔬





CODE RE6S5072-BK | SIZES 4-14 THERMOTRAK HI





CODE FX2-MT-S1P ' SIZES 3-13 FX2 METATARSAL BOOT



CODE RE5174 | SIZES 3-13



CODE GLO830-S1P SIZES 3-13 NON-METALLIC BOOT

BOOTS & SHOES SPECIALISED RANGE







CODE RE911-S3 SIZES 3-15 BLACK HAWK S3



CODE RE801 | SIZES 3-13







CODE RE683 SIZES 2-8 κιτο



CODE RE941 SIZES 2-8 LIGHT INDUSTRIAL





CODE RE974 SIZES 2-8 ZARI





CODE RE129 SIZES 2-8 NALA



CODE RE940 | SIZES 2-8 THULI



S1



CODE RE682 | SIZES 2-8 IMAN







CODE REBFB-02 SIZES 2-14



CODE REOVS | SIZES 2-13+



CODE SOCKSGY-S/L SIZES 4-13



CODE REBFB-01 | SIZES 3-13 STANDARD FOOTBED



BOOTS & SHOES

TECHNICAL FEATURE GUIDELINES

AND COLOR DE COM COM New of the case of the second - Solstein De de Gaunt Land www.wafeessant - Anthenter and NO RELITOR HACO BORDUED OIL BESSION MOOREE

▞▆▞፼፟፟፟፟፟፟፟፟፟፟፟፟፟^፼

TRADIT			
RE811	CHUKKA BOOT	♦ ♦	• • • • •
RE811-BR	CHUKKA BOOT	♦ ♦	• • • •
RE380	CHUKKA SHOE	♦ ♦	• • • • •
RE128	KONTRAKTA BOOT	• •	• • •
RE128-S	KONTRAKTA SHOE	♦ ♦	• • • •
FX2-S1P	FX2 BOOT	• • •	• • • •
FX2-S	FX2 SHOE	+ +	· · · · · · · · · · · · · · · · · · ·
FX2-CB-S1P	FX2 CHELSEA BOOT	· • • •	• • •
FX2-CB-BR	FX2 CHELSEA BOOT	• • •	• • •
RE304-BK	HIKER HI BOOT	♦ ♦	· · · · · · · · · · · · · · · · · · ·
RE304	HIKER HI BOOT	♦ ♦	• • • •
RE303-BK	HIKER LO SHOE	+ +	• • • •
RE508 (NST)	WORKPRO SHOE		

REBELLION

RE18312	Grey Wolf	۰ 🔶	•				•		


PREMIUM

RE942	LIGHT INDUSTRIAL SHOE	• •		•	+ +
RE0808	ENDURO-MAX SHOE	+ +			♦ ↓ ↓
RE316	DYNAPRO SHOE	• •		•	+ +
RE424-BK	EXPEDITION HI BOOT	• •	• •	•	• • •
RE424-BR	EXPEDITION HI BOOT	+ +	• •	•	• • •
RE425-BK	EXPEDITION LO SHOE	+ +	• •	•	• •
RE203-BK	CLASSIC SHOE	+ +		•	• •
RE652-TA	CRAZY HORSE BOOT	• •	•	• •	• •
RE652-BK	CRAZY HORSE BOOT	• •	•	• •	• • •
RE652-BR	CRAZY HORSE BOOT	+ +	•	• •	• •
RE651-BK	HAVOC BOOT	+ +	•	+ +	+ +
RE651-BR	HAVOC BOOT	• •		+ +	
RE420-BR	HI-TOP BOOT	↓ ↓			
RE420-BK	HI-TOP BLACK BOOT	• •		•	• •
RE429-CH	LO-TOP SAFETY SHOE	+ +			+ +
RE429-BK	LO-TOP BLACK SAFETY SHOE	+ +		•	+ +

SPECIALISED

or Lenn		
FX2-MT-S1P	FX2 METATARSAL BOOT	
GLO830-S1P	NON-METALLIC BOOT	
RE6S5072-BK	THERMOTRAK HI BOOT	· · · · · · · · · · · · · · · · · · ·
RE5174	JIGGA BOOT	• • • • • • •
RE210-S3	CHEMITRAK S3 BOOT	• • • • • • • • •
GL068GY	HYGIENE BOOT	* * * * * * *
RE912	RIGGER BOOT	* * * * * * * *
RE954	MINER BOOT	· · · · · · · · · · · · · · · · · · ·
RE911-S3	BLACK HAWK 53 BOOT	* * * * * * *
RE801	GLIDER SHOE	· · · · · · · · · · · · · · · · · · ·
REOVS	SAFETY OVERSHOE	◆ ◆ │ │ │ │ │ │ │ │ │ │ │ │
LADIES		
RE129	NALA BOOT	

RE129	NALA BOOT	٠	•	•			•		•	•	•	
RE682	IMAN SHOE	۰.	•	•			•		•	•	•	
RE974	ZARI SHOE	۰.	٠	•			•	•		•	•	
RE940	THULI CHELSEA BOOT	۰.	٠	•			•	•	•	•	•	
RE683	KITO SHOE	۰.	٠	•				•		•	•	
RE941	LIGHT INDUSTRIAL SHOE	•	٠	•			•		•	•	•	



REBEL Safety Gear work boots and shoes comply with the high standards required by ISO 20345:2011 and SANS 20345:2014. The classification systems used to identify the protection provided by our footwear is listed below:

SB	Impact and compression 200 joules.					
S1	Impact and compression 200 joules, closed heel region and anti-static properties.					
S1P	Anti-penetration protection plus S1.					
S2	As S1, plus water resistance.					
S3	As S2, plus penetration resistance.					

Added protection can be provided and is identified on the product by it's marking:

- HRO = Sole resistant to hot contact of 300°C for 60 seconds
- P = Penetration resistance: 1100 Newton's
- M = Metatarsal protection
- WR = Water resistance
- SRA = Slip resistance tested on a ceramic surface
- SRB = Slip resistance tested on a metal surface
- SRC = Slip resistance tested on ceramic and metal surfaces

Please refer to the tongue label to identify the specific safety and protection properties built-in to your pair of REBEL boots or shoes. It is important that the specific style and size of boot or shoe selected for use meets requirements for the environment and application in which it will be used.

Where the environment is not known, it is very important that consultation is carried out between the seller and the purchaser to ensure, where possible, the correct footwear is provided.

Electrostatic Discharge (ESD)

Anti-static (S1) shoes only offer a limited ability to allow charge to flow through them. ESD shoes have a sole that is more conductive, and thus offer a greater ability for charge to flow through them.

ESD shoes are the footwear of choice in an environment such as an electrical assembly plant, where a small electrostatic charge from the wearer onto a sensitive circuit board may damage the circuit board. The worker would wear an ESD pair of shoes to ensure that all the static build-up gets dissipated into the ground, and not through any other part of his or her body, such as hands. REBEL safety footwear has been designed and manufactured to be worn in most industrial areas, although extreme temperatures, environments and conditions will shorten the footwear's lifespan.

It is important to take time to care for your safety footwear. Proper care will add to the lifespan of your footwear, it should ensure that the maximum comfort level is maintained for longer, and that hygienically, your shoes or boots do not contribute to health problems.

Lifespan of safety footwear

There is no set guide for how long your footwear will last. It depends on the environment in which it has been used and stored.

Storing footwear and the risk of Hydrolysis

Most safety footwear (including REBEL) soles are made from polyurethane (PU). PU has the right mix of abrasion resistance, lightweight properties and cost effectiveness. However, PU is a chemical compound which can degrade over time if it is not used regularly, or if it is stored in a dark and/or humid environment without regular use. If your boots have sat unused for a long period of time (approx. three years) and then you start using them again, there is a high risk that the sole may disintegrate, this is known as hydrolysis. We cannot be held responsible for this disintegration if it results from long periods of storage.

Water damage

Most safety footwear is made from leather. Leather is NOT waterproof, or water-resistant, unless it has been specifically treated. If your boots are repeatedly exposed to water and mud, and they are not listed as water-resistant, they will eventually crack. We will view this as improper use, and will not replace any shoes which have become damaged as a result. If you polish your boots regularly, then the polish will protect against occasional – NOT regular water exposure.



Safety footwear care tips

- Avoid scuffing the upper leather or treading on sharp edges that could cut or tear the sole.
- Clean your shoes regularly.
- Remove excess mud and dirt and wipe clean with a damp cloth and allow drying thoroughly, preferably overnight at room temperature.
- Never force dry your shoes or boots if they become wet, as direct heat may distort the upper and cause the leather to crack.
- If your footwear has a leather upper apply a good quality wax polish or shoe cream regularly.
- If your footwear has a Nubuck or suede upper it should be gently rubbed with a stiff bristled brush.
- Soles should be checked regularly and stones and metal shavings removed from the cleats.
- If the laces become worn, replace immediately to ensure a good fit.

It is very important to note that damaged footwear will not provide the necessary protection you require, and should be replaced immediately if not in a suitable condition to protect your feet.

YOUR HARDEST WORKING SAFETY GEAR

I EU



COLD & RAIN PROTECTION THERMOSKIN FREEZER JACKET



COLD & RAIN PROTECTION



THERMOSKIN LITE FREEZER JACKET



CODE FR-JATL

SIZE S-4XL

CODE FR-JATS

CODE FR-TRTS

COLD & RAIN PROTECTION THERMOSKIN FREEZER TROUSERS



COLD & RAIN PROTECTION THERMOSKIN FREEZER SUIT

COLD & RAIN PROTECTION RUBBERISED HI VIZ **REFLECTIVE LIME RAIN SUIT**

SIZE S-4XL

COLD & RAIN PROTECTION RUBBERISED HI VIZ **REFLECTIVE ORANGE RAIN SUIT**



CODE RA-S-RUHVRO

SIZE S-4XL



SIZE S-4XL CODE RA-S-RUHVRL





LEATHER PROTECTION CHROME LEATHER APRON 1 PIECE WITH PLASTIC BUCKLES





COLD & RAIN PROTECTION RUBBERISED YELLOW RAIN SUIT



LEATHER PROTECTION CHROME LEATHER APRON 1 PIECE WITH METAL BUCKLES



CODE RA-S-RURNA



COLD & RAIN PROTECTION RUBBERISED HI VIZ REFLECTIVE NAVY RAIN SUIT



CODE RA-S-RUNA

SIZE S-4XL

COLD & RAIN PROTECTION RUBBERISED NAVY RAIN SUIT











LEATHER PROTECTION CHROME LEATHER KNEE SPATS



LEATHER PROTECTION KIDNEY BELT – ELASTICIZED

SIZE 60X90 CODE AC-APCH-90P



LEATHER PROTECTION CHROME LEATHER APRON 1 PIECE WITH PLASTIC BUCKLES





LEATHER PROTECTION CHROME LEATHER ANKLE SPATS







LEATHER GLOVES VIP DRIVER GLOVES



CODE GL-TIGWR



LEATHER GLOVES TIG FULL GRAIN LEATHER GLOVES

CODE GL-CHRCAWRSU





LEATHER GLOVES CHROME LEATHER CANDY STANDARD GLOVES



SIZE 10

LEATHER GLOVES CHROME LEATHER YELLOW CANDY SUPERIOR WRIST GLOVES







LEATHER GLOVES LEATHER RIGGER CANDY-STRIPED GLOVES

DIPPED GLOVES RED PU COATED GENERAL HANDLING GLOVES



LEATHER GLOVES RED HEAT STANDARD GLOVES



LEATHER GLOVES RED HEAT SUPERIOR GLOVES



LEATHER GLOVES YELLOW LINED WELDERS SUPERIOR WRIST GLOVES



LEATHER GLOVES YELLOW LINED WELDERS SUPERIOR ELBOW GLOVES



DIPPED GLOVES GREEN NITRILE CHEMICAL GLOVES

SIZE 8/M, 9/L 10/XL

CODE GL-NITGRELST



DIPPED GLOVES CUT 5 NITRILE GLOVES DIPPED GLOVES CUT 5 PU GLOVES





DIPPED GLOVES HI VIZ SANDY NITRILE GLOVES



SIZE 8/M, 9/L CODE GL-LATGRKW

DIPPED GLOVES GREEN LINED LATEX KNIT WRIST GLOVES





DIPPED GLOVES BLUE NITRILE GLOVES




YELLOW COMAREX KNIT WRIST

DIPPED GLOVES

STANDARD GLOVES

SIZE 10 CODE GL-PVCKWHD





DIPPED GLOVES RED PVC MEDIUM WEIGHT GLOVES

CODE GL-PVCKWST





DIPPED GLOVES COTTON LINER GLOVES



SIZE 10

DIPPED GLOVES RED PVC MEDIUM WEIGHT GLOVES



REFLECTIVE WEAR
AIRTEX ORANGE REFLECTIVE BIB





DIPPED GLOVES CRAYFISH STANDARD KNIT WRIST GLOVES



CODE RE-BILIAI-L

CODE RE-VELIVA-S

SIZE L (fits all)

SIZE S-3XL

REFLECTIVE WEAR AIRTEX LIME REFLECTIVE BIB



YELLOW COMAREX KNIT WRIST SUPERIOR GLOVES



SIZE 10/XL CODE GL-COTCRAKWSU

DIPPED GLOVES CRAYFISH SUPERIOR KNIT WRIST GLOVES



DIPPED GLOVES



REFLECTIVE WEAR LIME/SILVER REFLECTIVE TAPE



SIZE 50MM CODE RE-TASI50BA

ORANGE/SILVER REFLECTIVE TAPE

CODE GL-TAOR50ST

REFLECTIVE WEAR

50MM STITCHED

SIZE 50MM

REFLECTIVE WEAR SOLID ORANGE REFLECTIVE VEST

REFLECTIVE WEAR SILVER REFLECTIVE TAPE **50MM WITH TC BACKING**

SIZE S-3XL



REFLECTIVE WEAR VALUE ORANGE REFLECTIVE VEST



CODE RE-VELI-S

REFLECTIVE WEAR SOLID LIME REFLECTIVE VEST

CODE HE-EPREUC



HEARING PROTECTION EAR GEAR REUSABLE CORDED EARPLUGS



HEARING PROTECTION EAR GEAR DISPOSABLE CORDED EARPLUGS

CODE EY-SPECEUGR



EYE PROTECTION OPTI GEAR EURO GREEN

CODE EY-SPECEUCL

CODE EY-SPECSPCL



EYE PROTECTION OPTI GEAR EURO CLEAR

CODE Y-SPECSPGY



EYE PROTECTION OPTI GEAR SPORTY GREY



EYE PROTECTION OPTI GEAR SPORTY CLEAR



CODE HE-EPDISCO

CODE RE-DISDU-FFP2V



RESPIRATORY PROTECTION

DUST MASK WITH VALVE

AIRMAXX DISPOSABLE FFP2V

RESPIRATORY PROTECTION AMX2AV AIRMAXX FFP2V DUST MASK WITH ACTIVE CARBON AND VALVE

CODE RE-DISDU-FFP1



RESPIRATORY PROTECTION AIRMAXX DISPOSABLE FFP1 DUST MASK





RESPIRATORY PROTECTION AIRMAXX DISPOSABLE FFP2 DUST MASK

CODE HE-EPDISUN



HEARING PROTECTION EAR GEAR DISPOSABLE UNCORDED EARPLUGS



CODE HE-EPDISUN-B

EAR GEAR DISPOSABLE **UNCORDED EARPLUGS – BULK**

HEARING PROTECTION

CODE RE-DISDU-FFP2ACV

CODE HS-HARFA-01



FALL PROTECTION BASIC FALL ARREST HARNESS



FALL PROTECTION DOUBLE LANYARD

CODE AC-FSHIELDDISP



RESPIRATORY PROTECTION DISPOSABLE FACE SHIELD



RESPIRATORY PROTECTION REBEL MOUTH SHIELD

CODE AC-FGUARD



RESPIRATORY PROTECTION FACE GUARD 100



CODE AC-FSHIELD

CODE AC-MSHIELD

CODE HS-DBLLAN

RESPIRATORY PROTECTION FACE SHIELD





SIZE 28-48

REBEL APPAREL **TECH GEAR SHORTS –**

GUN METAL

CODE WW-SHREGM

CODE HS-RETDEV-6M

SIZE 28-48

DESERT DUST

CODE WW-TRREDD







REBEL APPAREL TECH GEAR TROUSERS – GUN METAL



SELF RETRACTING DEVICE 6M

CLIMBING HELMET

FALL PROTECTION



FALL PROTECTION



CODE TYV-CHF55



BODY PROTECTION **TYVEK 500 XPERT COVERALL**



BODY PROTECTION PROGUARD 100 DISPOSABLE



REBEL APPAREL WORK WEAR T-SHIRT



REBEL APPAREL WORK WEAR GOLF SHIRT



CODE WW-SHREDD



REBEL APPAREL TECH GEAR SHORTS -DESERT DUST



REBEL APPAREL TECH GEAR ACID FLAME TROUSERS





EQUIPMENT AND ACCESSORIES BARRIER NETTING



CODE AC-BNKN





REBEL SAFETY ICONS



Steel Cap



Water Resistant



Metatarsal Protection



Genuine Leather



Oil Resistant



Welding



Electrostatic Discharge



Slip Resistant



Anti-penetration



Heat Resistant up to 300°



Microfiber



HACCP Approved



Non-metallic



Anti-static



Chemical Resistant



Reflective Tape



Shock Absorbent



No Steel Toe Cap



Cold Resistant



Arc Flash



Ladies

. . . .

TECHNICAL CLASSIFICATION



Impact and compression 200 joules



Impact and compression 200 joules anti-static properties

S1P	

Antipenetration protection plus S1



As S1, plus water resistance



As S2, plus penetration resistance